

Community Action in Integrated and Market Oriented Feed-Livestock Production in Central and South Asia Project

Description of the project site in Khujand, Tajikistan

1. Geographical or administrative unit

Jamoat Ismoil is located in Bobojan Gafurov district, Sogd province, Republic of Tajikistan.

In the north bordered with Tashkent province Republic of Uzbekistan, in the north to west with Ashskiy district, Sogd Province, and the west jamoat Kholmatov, Bobojon Gavurov district, Sogd province.

The total area is 686,650 thousand m².



2. Number of villages (sub location and distance)

Jamoat Ismoil is divided into 22 villages.

There are 4168 households, population is 21936, out of them women are 11091 and children are 6894.

Center of the Jamoat Ismoil is located 25 km far from Khujand City

From Gafurov district center 29 km

3. Number of households in each villages

Location	Name of village	No. of households	Main income	Mohair goat production
Flat area	Yangiqshoq	636	0 = equal	3 5 = developed
Mountain area	Karajingil	163	+ = goat	5 1 = underdeveloped
Mountain	Shokadam	81	+	2
Flat	Appon	121	0	1
Mountain	Takli	9	+	5
Flat	Abrechimchi	12	- = crop	1
Flat	Kipchak	181	-	1
Flat	Gulabad	156	0	2
Flat	Uyas	715	-	2
Flat	Terak	84	-	1
Flat	Kurgancha	237	0	1
Flat	Komsomol	294	-	1
Mountain	Okbulok	5	+	5
Mountain	Boshkuruk	6	+	4
Mountain	Almali	18	+	5
Flat	Kalay kona	447	-	2
Flat	Chordara	366	-	2
Flat	Ravat	141	-	1
Flat	Dusti	161	0	1
Flat	Pilov	196	-	1
Mountain	Ajdarli	16	+	4
Mountain	Chimdakoil	123	+	3
	Total	4168		

List of farmers

№ пл	Фамилия Имя	Проектный участок	Пого-ловья коз	№ пл	Фамилия Имя	Проектный участок	Пого-ловья коз
1.	Хайтматов А.	К. Карочинвил	50	1.	Душабоев Р.	К. Уяс	50
2.	Зонаев А.	К. Карочинвил	35	2.	Мамадулов Р.	К. Уяс	53
3.	Ерматов Х.	К. Карочингил	40	3.	Мамадулова А.	К. Уяс	30
4.	Юлчиев Х.	К. Карочингил	28	4.	Мамадулов К.	К. Уяс	22
5.	Хайматов К.	К. Карочингил	25	5.	Мамадулов А.	К. Уяс	80
6.	Мадалиев Т.	К. Карочингил	35				

4. Typology

- **Households**
 - ❖ Individual (grazing)
 - ❖ Community (grazing)
 - ❖ Joint (grazing jointly with state farms)
- **Private farms**
 - o Individual
 - o Collective
- **State farms**
- **Tenants (Individual)**

The classification of mohair

- Color
- Brightness
- Length
- Thickness
- Purity
- Structure
- Kemp fiber

5. Specific information

Climate is dry and moderate. The lower part of the Jamoat Ismoil is located in the right bank of Syrdarya River and the upper part is located in the mountain of Kuramin mainline. Annual average precipitation is 300-400 mm.

Average winter temperature is -3 (- 5)0C and in the summer the same is 32-370C. Snow thickness is 3-7 cm and some times can be go up to 10-15 cm. Every 3-5 years is observing severe frost, night temperature is can be go down up to -250C. Snow thickness in that period is 20-30 cm.

Soil in the mountain area is stoned and plant cover is very low compare to other parts of the province. The location of the Jamoat Ismoil with its mountain relief and dimatic characteristics can be made it as low attractive zone, which is hardly influencing for its economical and social development. It is remained bad impression in the livelihoods of the region.

The main roads and location of local markets around project site

