

Iran*Wheat*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	5	5	5
Other varieties (max. no.)	1/3000	1/2000	1/1000
Other species (max. no.)	1/10000	1/10000	1/2000
Noxious weeds (max. %)	0.1	0.2	0.4
Infected plants (max. %)	0.05	0.05	0.10
Seed Standards			
Pure seed (min. %)	96	96	96
Other crop seeds (max. %)			
Species	0.06	0.12	0.25
Varieties	0.05	0.10	0.20
Weed seeds (max. %)	0	0	0
Infected seeds (max. %)	0	0	0
Germination (min. %)	85	85	85
Moisture content (max. %)	12	12	12

Iran*Barley*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	5	5	5
Other varieties (max. no.)	1/3000	1/2000	1/1000
Other species (max. no.)	None	None	None
Noxious weeds (max. no.)			
Infected plants (max. %)	None	None	None
Seed Standards			
Pure seed (min. %)	96	96	96
Other crop seeds (max. %)			
Species	0.06	0.12	0.25
Varieties	0.5	0.1	0.2
Inert matter (max. %)	4	4	4
Weed seeds (max. %)			
Infected seeds (max.)			
Germination (min. %)	85	85	85
Moisture content (max. %)	12	12	12

Iran*Rice*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	10	10	10
Other varieties (max. no.)	1/10000	1/5000	1/1000
Other species (max. no.)	1/15000	1/10000	1/5000
Noxious weeds (max. %)	0	0	0
Infected plants (max. %)	0	0	0
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.05	0.1	0.2
Varieties	0.05	0.1	0.2
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	0.05	0.05	0.1
Infected seeds (max. %)	0	0	0
Germination (min. %)	80	80	80
Moisture content (max. %)	14	14	14

Iran*Maize*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	2	2	1
Isolation (min. meters)	300	300	200
Other varieties (max. %)	0.1	0.5	3
Other species (max. %)	None	None	None
Noxious weeds (max. %)	None	None	None
Infected plants (max. %)	None	None	None
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)	0	0	
Species			
Varieties	0	0	0.5
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	None	None	None
Infected seeds (max. %)	None	None	None
Germination (min. %)	85	85	85
Moisture content (max. %)	14	14	14

Iran*Sorghum*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	450	450	300
Other varieties (max.)	1/0000	1/35000	1/20000
Other species (max. %)	0	0	0.02
Noxious weeds (max. %)	None	None	None
Infected plants (max. %)	None	None	None
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.01	0.03	0.08
Varieties	0.005	0.01	0.05
Weed seeds (max. %)	0.1	0.1	0.1
Infected seeds (max. %)	0	0	0
Germination (min. %)	80	80	80
Moisture content (max. %)	12	12	12

Iran*Beans*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	5	5	5
Other varieties (max. no.)	1/2000	1/1000	1/500
Other species (max. no.)	None	1/2000	1/1000
Noxious weeds (max. no.)			
Infected plants (max. no.)	None	1/200	1/100
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.05	0.1	0.2
Varieties	0.05	0.1	0.2
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	0	0	0
Infected seeds (max. %)	0	0	0
Germination (min. %)	85	85	85
Moisture content (max. %)	11	11	11

Iran*Soya bean*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	5	5	5
Other varieties (max. no.)	1/1000	1/500	1/200
Other species (max. no.)			
Noxious weeds (max. no.)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.2	0.3	0.6
Varieties	0.1	0.2	0.5
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	0.05	0.05	0.05
Infected seeds (max. %)			
Germination (min. %)	80	80	80
Moisture content (max. %)	12	12	12

Iran*Pea*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	5	5	5
Other varieties (max. no.)	1/2000	1/1000	1/500
Other species (max. no.)	None	None	None
Noxious weeds (max. no.)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	None	None	None
Varieties	0.1	0.2	0.5
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	0.1	0.25	0.25
Infected seeds (max. %)			
Germination (min. %)	80	80	80
Moisture content (max. %)	12	12	12

Iran*Rape seed*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	280	280	280
Other varieties (max. no.)	1/2000	1/1000	1/500
Other species (max. no.)	None	None	None
Noxious weeds (max. no.)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	99	99	99
Other crop seeds (max. %)			
Species	0.05	0.1	0.25
Varieties	0.05	0.1	0.25
Inert matter (max. %)	1	1	1
Weed seeds (max. no/kg)	10	20	30
Infected seeds (max. %)			
Germination (min. %)	85	85	85
Moisture content (max. %)	6-7	6-7	6-7

Iran*Sunflower*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	1000	1000	1000
Other varieties (max. no.)	1/1000	1/1000	1/1000
Other species (max. no.)			
Purple stem	1/1000	1/1000	1/1000
White seed	1/1000	1/1000	1/1000
Noxious weeds (max. no.)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.02	0.07	0.2
Varieties	0.02	0.02	0.1
Inert matter (max. %)	2	2	2
Weed seeds (max. %)			
Infected seeds (max. %)			
Germination (min. %)	85	85	85
Moisture (max. %)			

Iran*Cotton*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)			
Isolation (min. meters)	700	200	100
Other varieties (max. %)	None	0.2	0.2
Other species (max. no.)	0	1/35000	1/7000
Noxious weeds (max. no.)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Varieties	0	0.1	0.1
Inert matter (max. %)	2	2	2
Weed seeds (max. %)			
Infected seeds (max. %)			
Germination (min. %)	80	80	80
Moisture content (max. %)	12	12	12

Iran

Sugar beet

Standards	Seed Classes		
	Pre-basic	Basic	Certified

Field Standards

- Rotation (min. years)
- Other varieties (max. no.)
- Other species (max. no.)
- Noxious weeds (max. no.)
- Infected plants (max. no.)

Seed Standards

Pure seed (min. %)	99.5	99	98
Other crop seeds (max. %)			
Inert matter (max. %)	0	0	0.3
Weed seeds (max. %)	0	0	0.5
Infected seeds (max. %)			
Germination (min. %)	90	90	87
Moisture content (max. %)	9	9	9

The minimum distances from neighboring pollen sources shall be:

Sugar beet seed production	Isolation distance (m)
1. For Basic Seed:	
▪ From any pollen sources of the genus <i>Beta</i>	1 000m
2. For Certified Seed	
▪ From any pollen sources of the genus <i>Beta</i> not included below	1 000 m
▪ The intended pollinator or one of the intended pollinators being diploid, from tetraploid sugar beet pollen sources	600 m
▪ The intended pollinator being exclusively tetraploid, from diploid sugar beet pollen sources	600 m
▪ From sugar beet pollen sources, the ploidy of which is unknown	600 m
▪ The intended pollinator or one of the intended pollinators being diploid, from diploid sugar beet pollen sources	300 m
▪ The intended pollinator being exclusively tetraploid, from tetraploid sugar beet pollen sources	300 m
▪ Between two sugar beet seed production fields in which male sterility is not used	300 m

Iran*Onion*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	1800	900	600
Other varieties (max. no)	1/100	1/200	1/200
Other species (max. no)			
Noxious weeds (max. no)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	99	99	99
Other crop seeds (max. %)	0.1	0.1	0.1
Species	None	0.5	1
Varieties	None	0.5	1
Inert matter (max. %)	1	1	1
Weed seeds (max. %)			
Infected seeds (max. %)			
Germination (min. %)	80	80	80
Moisture content (max. %)			

Iran*Pepper*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	150	150	50
Other varieties (max. no)	None	1/300	1/150
Other species (max. no)			
Noxious weeds (max. no)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	None	None	0.5
Varieties	None	0.5	1
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	None	None	2
Infected seeds (max. %)			
Germination (min. %)	75	75	75
Moisture content (max. %)			

Iran*Tomato*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	100	60	40
Other varieties (max. no)	None	1/300	1/750
Other species (max. no)	None	25	400
Noxious weeds (max. no)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	None	0.5	1
Varieties	None	0.5	1
Inert matter (max. %)	2	2	2
Weed seeds (max. %)			
Infected seeds (max. %)			
Germination (min. %)	75	75	75
Moisture content (max. %)			

Iran*Water melon*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	1	1	1
Isolation (min. meters)	1200	1200	800
Other varieties (max. no)	None	None	1/500
Other species (max. no)			
Noxious weeds (max. no)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.01	0.5	0.1
Varieties	None	0.5	1
Inert matter (max. %)	2	2	2
Weed seeds (max. %)			
Infected seeds (max. %)			
Germination (min. %)	80	80	80
Moisture content (max. %)			

Iran*Alfalfa*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	4	3	1
Isolation (min. meters)	280	140	50
Other varieties (max. no)	1/1000	1/400	1/100
Other species (max. no)	0	25	400
Noxious weeds (max. no)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.2	0.2	0.2
Varieties	0.1	0.25	1
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	0.1	0.2	0.5
Infected seeds (max. %)			
Germination (min. %)	80	80	80
Moisture content (max. %)	7-8	7-8	7-8

Iran*Clover*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	5	3	2
Isolation (min. meters)	280	140	50
Other varieties (max. no.)	1/1000	1/400	1/100
Other species (max. no.)	None	None	None
Noxious weeds (max. no.)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	99	99	99
Other crop seeds (max. %)			
Species	0.2	0.5	1
Varieties	0.1	0.25	1
Inert matter (max. %)	1	1	1
Weed seeds (max. %)	0.15	0.25	0.85
Infected seeds (max. %)			
Germination (min. %)	85	85	85
Moisture content (max. %)	7-8	7-8	7-8

Iran*Medics*

Standards	Seed Classes		
	Pre-basic	Basic	Certified
Field Standards			
Rotation (min. years)	5	3	2
Isolation (min. meters)	250	150	80
Other varieties (max. no.)	1/1000	1/400	1/100
Other species (max. no.)			
Noxious weeds (max. no.)			
Infected plants (max. no.)			
Seed Standards			
Pure seed (min. %)	98	98	98
Other crop seeds (max. %)			
Species	0.1	0.1	0.2
Varieties	0.1	0.25	1.1
Inert matter (max. %)	2	2	2
Weed seeds (max. %)	0.1	0.1	0.2
Infected seeds (max. %)			
Germination (min. %)	80	80	80
Moisture content (max. %)			